

2013 CENTRAL REGION YOUTH RISK BEHAVIOR SURVEY

HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 291 high school students in Central Region during February of 2013. Frequency distributions may not total 291 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	0	0.00%
B.	13 years old	0	0.00%
C.	14 years old	17	5.90%
D.	15 years old	75	26.04%
E.	16 years old	79	27.43%
F.	17 years old	83	28.82%
G.	18 years old or older	34	11.81%
	TOTALS	288	100.00%
Q-2. What is your sex?			
A.	Female	145	50.00%
B.	Male	145	50.00%
	TOTALS	290	100.00%
Q-3. In what grade are you?			
A.	9th grade	65	22.34%
B.	10th grade	82	28.18%
C.	11th grade	82	28.18%
D.	12th grade	62	21.31%
E.	Ungraded or other grade	0	0.00%
	TOTALS	291	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	16	5.56%
B.	No	272	94.44%
	TOTALS	288	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	10	3.39%
B.	Asian	6	2.03%
C.	Black or African American	5	1.69%
D.	Native Hawaiian or Other Pacific Islander	1	0.34%
E.	White	273	92.54%
	TOTALS	295	101.37%

Q-6. How tall are you without your shoes on?			
A.	Less than 4 ft	1	0.34%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	7	2.41%
D.	5ft, 1in to 5ft, 6in	106	36.43%
E.	Over 5ft, 6in	177	60.82%
	TOTALS	291	100.00%
Q-7. How much do you weigh without your shoes on?			
A.	Less than 90 lbs	0	0.00%
B.	90-99 lbs	4	1.37%
C.	100-109 lbs	12	4.12%
D.	110-119lbs	26	8.93%
E.	120-129 lbs	38	13.06%
F.	130-139 lbs	36	12.37%
G.	lbs +	175	60.14%
	TOTALS	291	100.00%
Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
A.	I did not ride a bicycle during the past 12 months	97	33.56%
B.	Never wore a helmet	170	58.82%
C.	Rarely wore a helmet	10	3.46%
D.	Sometimes wore a helmet	4	1.38%
E.	Most of the time wore a helmet	2	0.69%
F.	Always wore a helmet	6	2.08%
	TOTALS	289	100.00%
Q-9. How often do you wear your seat belt when riding in a car driven by someone else?			
A.	Never	8	2.80%
B.	Rarely	20	6.99%
C.	Sometimes	48	16.78%
D.	Most of the time	104	36.36%
E.	Always	106	37.06%
	TOTALS	286	100.00%
Q-10. How often do you wear a seat belt when driving a car?			
A.	I do not drive a car	38	13.15%
B.	Never	5	1.73%
C.	Rarely	22	7.61%
D.	Sometimes	32	11.07%
E.	Most of the time	69	23.88%
F.	Always	123	42.56%
	TOTALS	289	100.00%

Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
A.	0 times	217	74.83%
B.	1 time	34	11.72%
C.	2 or 3 times	27	9.31%
D.	4 or 5 times	5	1.72%
E.	6 or more times	7	2.41%
TOTALS		290	100.00%
Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
A.	I did not drive a car or other vehicle during the past 30 days	63	21.88%
B.	0 times	189	65.63%
C.	1 time	20	6.94%
D.	2 or 3 times	6	2.08%
E.	4 or 5 times	2	0.69%
F.	6 or more times	8	2.78%
TOTALS		288	100.00%
Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	48	16.49%
B.	0 days	109	37.46%
C.	1 or 2 days	41	14.09%
D.	3 to 5 days	29	9.97%
E.	6 to 9 days	24	8.25%
F.	10 to 19 days	13	4.47%
G.	20 to 29 days	12	4.12%
H.	All 30 days	15	5.15%
TOTALS		291	100.00%
Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?			
A.	I did not drive a car or other vehicle during the past 30 days	48	16.55%
B.	0 days	105	36.21%
C.	1 or 2 days	49	16.90%
D.	3 to 5 days	30	10.34%
E.	6 to 9 days	19	6.55%
F.	10 to 19 days	22	7.59%
G.	20 to 29 days	8	2.76%
H.	All 30 days	9	3.10%
TOTALS		290	100.00%

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
A.	0 days	195	67.94%
B.	1 day	10	3.48%
C.	2 or 3 days	24	8.36%
D.	4 or 5 days	10	3.48%
E.	6 or more days	48	16.72%
TOTALS		287	100.00%
Q-16. During the past 30 days, on how many days did you carry a gun?			
A.	0 days	230	80.14%
B.	1 day	10	3.48%
C.	2 or 3 days	21	7.32%
D.	4 or 5 days	7	2.44%
E.	6 or more days	19	6.62%
TOTALS		287	100.00%
Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
A.	0 days	253	86.94%
B.	1 day	7	2.41%
C.	2 or 3 days	9	3.09%
D.	4 or 5 days	0	0.00%
E.	6 or more days	22	7.56%
TOTALS		291	100.00%
Q-18. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?			
A.	0 times	213	74.48%
B.	1 time	35	12.24%
C.	2 or 3 times	19	6.64%
D.	4 or 5 times	8	2.80%
E.	6 or 7 times	4	1.40%
F.	8 or 9 times	1	0.35%
G.	10 or 11 times	0	0.00%
H.	12 or more times	6	2.10%
TOTALS		286	100.00%
Q-19. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
A.	0 days	277	96.18%
B.	1 day	6	2.08%
C.	2 or 3 days	1	0.35%
D.	4 or 5 days	1	0.35%
E.	6 or more days	3	1.04%
TOTALS		288	100.00%

Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	269	92.44%
B.	1 time	11	3.78%
C.	2 or 3 times	4	1.37%
D.	4 or 5 times	2	0.69%
E.	6 or 7 times	1	0.34%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	1.37%
TOTALS		291	100.00%

Q-21. During the past 12 months, how many times were you in a physical fight?

A.	0 times	225	77.59%
B.	1 time	29	10.00%
C.	2 or 3 times	22	7.59%
D.	4 or 5 times	5	1.72%
E.	6 or 7 times	2	0.69%
F.	8 or 9 times	1	0.34%
G.	10 or 11 times	0	0.00%
H.	12 or more times	6	2.07%
TOTALS		290	100.00%

Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

A.	0 times	282	97.58%
B.	1 time	5	1.73%
C.	2 or 3 times	0	0.00%
D.	4 or 5 times	0	0.00%
E.	6 or more times	2	0.69%
TOTALS		289	100.00%

Q-23. During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	260	89.35%
B.	1 time	18	6.19%
C.	2 or 3 times	6	2.06%
D.	4 or 5 times	3	1.03%
E.	6 or 7 times	0	0.00%
F.	8 or 9 times	0	0.00%
G.	10 or 11 times	0	0.00%
H.	12 or more times	4	1.37%
TOTALS		291	100.00%

Q-24. Have you ever been physically forced to have sexual intercourse when you did not want to?			
A.	Yes	20	6.94%
B.	No	268	93.06%
	TOTALS	288	100.00%
Q-25. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)			
A.	I did not date or go out with anyone during the past 12 months	90	31.58%
B.	0 times	181	63.51%
C.	1 time	4	1.40%
D.	2 or 3 times	6	2.11%
E.	4 or 5 times	1	0.35%
F.	6 or more times	3	1.05%
	TOTALS	285	100.00%
Q-26. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)			
A.	I did not date or go out with anyone during the past 12 months	89	30.58%
B.	0 times	188	64.60%
C.	1 time	7	2.41%
D.	2 or 3 times	2	0.69%
E.	4 or 5 times	1	0.34%
F.	6 or more times	4	1.37%
	TOTALS	291	100.00%
Q-27. During the past 12 months, have you ever been bullied on school property?			
A.	Yes	73	25.44%
B.	No	214	74.56%
	TOTALS	287	100.00%
Q-28. During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)			
A.	Yes	51	17.59%
B.	No	239	82.41%
	TOTALS	290	100.00%
Q-29. During the past 12 months, have you ever been the victim of teasing, name calling or bullying because someone thought you were gay, lesbian, or bisexual?			
A.	Yes	31	10.65%
B.	No	260	89.35%
	TOTALS	291	100.00%
Q-30. Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)			
A.	Yes	16	5.52%
B.	No	274	94.48%
	TOTALS	290	100.00%

Q-31. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
A.	Yes	56	19.44%
B.	No	232	80.56%
	TOTALS	288	100.00%
Q-32. During the past 12 months, did you ever seriously consider attempting suicide?			
A.	Yes	34	11.76%
B.	No	255	88.24%
	TOTALS	289	100.00%
Q-33. During the past 12 months, did you make a plan about how you would attempt suicide?			
A.	Yes	32	11.03%
B.	No	258	88.97%
	TOTALS	290	100.00%
Q-34. During the past 12 months, how many times did you actually attempt suicide?			
A.	0 times	260	89.97%
B.	1 time	23	7.96%
C.	2 or 3 times	3	1.04%
D.	4 or 5 times	1	0.35%
E.	6 or more times	2	0.69%
	TOTALS	289	100.00%
Q-35. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
A.	I did not attempt suicide	261	90.00%
B.	Yes	8	2.76%
C.	No	21	7.24%
	TOTALS	290	100.00%
Q-36. Have you ever tried cigarette smoking, even one or two puffs?			
A.	Yes	105	36.33%
B.	No	184	63.67%
	TOTALS	289	100.00%
Q-37. How old were you when you smoked a whole cigarette for the first time?			
A.	I have never smoked a whole cigarette	210	72.41%
B.	8 years old or younger	6	2.07%
C.	9 or 10 years old	5	1.72%
D.	11 or 12 years old	9	3.10%
E.	13 or 14 years old	22	7.59%
F.	15 or 16 years old	31	10.69%
G.	17 years old or older	7	2.41%
	TOTALS	290	100.00%

Q-38. During the past 30 days, on how many days did you smoke cigarettes?			
A.	0 days	248	85.52%
B.	1 or 2 days	16	5.52%
C.	3 to 5 days	6	2.07%
D.	6 to 9 days	2	0.69%
E.	10 to 19 days	4	1.38%
F.	20 to 29 days	7	2.41%
G.	All 30 days	7	2.41%
	TOTALS	290	100.00%
Q-39. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
A.	I did not smoke cigarettes during the past 30 days	250	86.21%
B.	Less than 1 cigarette per day	9	3.10%
C.	1 cigarette per day	9	3.10%
D.	2 to 5 cigarettes per day	14	4.83%
E.	6 to 10 cigarettes per day	4	1.38%
F.	11 to 20 cigarettes per day	0	0.00%
G.	More than 20 cigarettes per day	4	1.38%
	TOTALS	290	100.00%
Q-40. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)			
A.	I did not smoke cigarettes during the past 30 days	248	85.81%
B.	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	10	3.46%
C.	I bought them from a vending machine	0	0.00%
D.	I gave someone else money to buy them for me	17	5.88%
E.	I borrowed (or bummed) them from someone else	10	3.46%
F.	A person 18 years old or older gave them to me	2	0.69%
G.	I took them from a store or family member	0	0.00%
H.	I got them some other way	2	0.69%
	TOTALS	289	100.00%
Q-41. During the past 30 days, on how many days did you smoke cigarettes on school property?			
A.	0 days	281	96.90%
B.	1 or 2 days	4	1.38%
C.	3 to 5 days	2	0.69%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	0	0.00%
F.	20 to 29 days	0	0.00%
G.	All 30 days	3	1.03%
	TOTALS	290	100.00%
Q-42. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?			
A.	Yes	26	8.93%
B.	No	265	91.07%
	TOTALS	291	100.00%

Q-43. During the past 12 months, did you ever try to quit smoking cigarettes?			
A.	I did not smoke during the past 12 months	232	80.00%
B.	Yes	30	10.34%
C.	No	28	9.66%
TOTALS		290	100.00%
Q-44. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
A.	0 days	253	86.94%
B.	1 or 2 days	14	4.81%
C.	3 to 5 days	4	1.37%
D.	6 to 9 days	4	1.37%
E.	10 to 19 days	3	1.03%
F.	20 to 29 days	2	0.69%
G.	All 30 days	11	3.78%
TOTALS		291	100.00%
Q-45. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?			
A.	0 days	280	96.22%
B.	1 or 2 days	2	0.69%
C.	3 to 5 days	0	0.00%
D.	6 to 9 days	2	0.69%
E.	10 to 19 days	2	0.69%
F.	20 to 29 days	0	0.00%
G.	All 30 days	5	1.72%
TOTALS		291	100.00%
Q-46. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
A.	0 days	249	86.16%
B.	1 or 2 days	26	9.00%
C.	3 to 5 days	5	1.73%
D.	6 to 9 days	3	1.04%
E.	10 to 19 days	1	0.35%
F.	20 to 29 days	1	0.35%
G.	All 30 days	4	1.38%
TOTALS		289	100.00%
Q-47. During your life, on how many days have you had at least one drink of alcohol?			
A.	0 days	73	25.44%
B.	1 or 2 days	34	11.85%
C.	3 to 9 days	53	18.47%
D.	10 to 19 days	45	15.68%
E.	20 to 39 days	27	9.41%
F.	40 to 99 days	28	9.76%
G.	100 or more days	27	9.41%
TOTALS		287	100.00%

Q-48. How old were you when you had your first drink of alcohol other than a few sips?			
A.	I have never had a drink of alcohol other than a few sips	98	34.03%
B.	8 years old or younger	15	5.21%
C.	9 or 10 years old	15	5.21%
D.	11 or 12 years old	23	7.99%
E.	13 or 14 years old	79	27.43%
F.	15 or 16 years old	47	16.32%
G.	17 years old or older	11	3.82%
	TOTALS	288	100.00%
Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol?			
A.	0 days	186	64.14%
B.	1 or 2 days	65	22.41%
C.	3 to 5 days	22	7.59%
D.	6 to 9 days	9	3.10%
E.	10 to 19 days	4	1.38%
F.	20 to 29 days	1	0.34%
G.	All 30 days	3	1.03%
	TOTALS	290	100.00%
Q-50. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?			
A.	0 days	274	94.48%
B.	1 or 2 days	11	3.79%
C.	3 to 5 days	2	0.69%
D.	6 to 9 days	0	0.00%
E.	10 to 19 days	1	0.34%
F.	20 to 29 days	0	0.00%
G.	All 30 days	2	0.69%
	TOTALS	290	100.00%
Q-51. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
A.	0 days	231	79.93%
B.	1 day	26	9.00%
C.	2 days	12	4.15%
D.	3 to 5 days	12	4.15%
E.	6 to 9 days	4	1.38%
F.	10 to 19 days	2	0.69%
G.	20 or more days	2	0.69%
	TOTALS	289	100.00%

Q-52. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
A.	I did not drink alcohol during the past 30 days	188	65.51%
B.	1 or 2 drinks	38	13.24%
C.	3 drinks	11	3.83%
D.	4 drinks	10	3.48%
E.	5 drinks	6	2.09%
F.	6 or 7 drinks	14	4.88%
G.	8 or 9 drinks	7	2.44%
H.	10 or more drinks	13	4.53%
TOTALS		287	100.00%

Q-53. During the past 30 days, how did you usually get the alcohol you drank?			
A.	I did not drink alcohol during the past 30 days	189	65.85%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	2	0.70%
C.	I bought it at a restaurant, bar, or club	1	0.35%
D.	I bought it at a public event such as a concert or sporting event	2	0.70%
E.	I gave someone else money to buy it for me	19	6.62%
F.	Someone gave it to me	51	17.77%
G.	I took it from a store or family member	4	1.39%
H.	I got it some other way	19	6.62%
TOTALS		287	100.00%

Q-54. During your life, how many times have you used marijuana?			
A.	0 times	233	80.07%
B.	1 or 2 times	18	6.19%
C.	3 to 9 times	8	2.75%
D.	10 to 19 times	6	2.06%
E.	20 to 39 times	7	2.41%
F.	40 to 99 times	8	2.75%
G.	100 or more times	11	3.78%
TOTALS		291	100.00%

Q-55. How old were you when you tried marijuana for the first time?			
A.	I have never tried marijuana	233	80.34%
B.	8 years old or younger	2	0.69%
C.	9 or 10 years old	1	0.34%
D.	11 or 12 years old	6	2.07%
E.	13 or 14 years old	23	7.93%
F.	15 or 16 years old	17	5.86%
G.	17 years old or older	8	2.76%
TOTALS		290	100.00%

Q-56. During the past 30 days, how many times did you use marijuana?			
A.	0 times	265	91.70%
B.	1 or 2 times	8	2.77%
C.	3 to 9 times	4	1.38%
D.	10 to 19 times	5	1.73%
E.	20 to 39 times	2	0.69%
F.	40 or more times	5	1.73%
	TOTALS	289	100.00%
Q-57. During the past 30 days, how many times did you use marijuana on school property?			
A.	0 times	282	97.24%
B.	1 or 2 times	3	1.03%
C.	3 to 9 times	2	0.69%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	1.03%
	TOTALS	290	100.00%
Q-58. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
A.	0 times	272	96.80%
B.	1 or 2 times	2	0.71%
C.	3 to 9 times	2	0.71%
D.	10 to 19 times	1	0.36%
E.	20 to 39 times	1	0.36%
F.	40 or more times	3	1.07%
	TOTALS	281	100.00%
Q-59. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
A.	0 times	260	90.59%
B.	1 or 2 times	14	4.88%
C.	3 to 9 times	6	2.09%
D.	10 to 19 times	3	1.05%
E.	20 to 39 times	1	0.35%
F.	40 or more times	3	1.05%
	TOTALS	287	100.00%
Q-60. During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?			
A.	0 times	281	97.23%
B.	1 or 2 times	3	1.04%
C.	3 to 9 times	2	0.69%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	1.04%
	TOTALS	289	100.00%

Q-61. During your life, how many times have you used heroin (also called smack, junk, or China White)?			
A.	0 times	280	98.25%
B.	1 or 2 times	0	0.00%
C.	3 to 9 times	1	0.35%
D.	10 to 19 times	1	0.35%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	1.05%
	TOTALS	285	100.00%
Q-62. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
A.	0 times	281	97.57%
B.	1 or 2 times	1	0.35%
C.	3 to 9 times	2	0.69%
D.	10 to 19 times	1	0.35%
E.	20 to 39 times	0	0.00%
F.	40 or more times	3	1.04%
	TOTALS	288	100.00%
Q-63. During your life, how many times have you used ecstasy (also called MDMA)?			
A.	0 times	275	95.49%
B.	1 or 2 times	6	2.08%
C.	3 to 9 times	2	0.69%
D.	10 to 19 times	1	0.35%
E.	20 to 39 times	0	0.00%
F.	40 or more times	4	1.39%
	TOTALS	288	100.00%
Q-64. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
A.	0 times	281	98.25%
B.	1 or 2 times	1	0.35%
C.	3 to 9 times	0	0.00%
D.	10 to 19 times	0	0.00%
E.	20 to 39 times	1	0.35%
F.	40 or more times	3	1.05%
	TOTALS	286	100.00%
Q-65. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?			
A.	0 times	256	88.89%
B.	1 or 2 times	16	5.56%
C.	3 to 9 times	5	1.74%
D.	10 to 19 times	4	1.39%
E.	20 to 39 times	4	1.39%
F.	40 or more times	3	1.04%
	TOTALS	288	100.00%

Q-66. During your life, how many times have you used a needle to inject any illegal drug into your body?			
A.	0 times	281	97.57%
B.	1 time	1	0.35%
C.	2 or more times	6	2.08%
TOTALS		288	100.00%
Q-67. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
A.	Yes	34	11.81%
B.	No	254	88.19%
TOTALS		288	100.00%
Q-68. Have you ever had sexual intercourse?			
A.	Yes	131	45.49%
B.	No	157	54.51%
TOTALS		288	100.00%
Q-69. How old were you when you had sexual intercourse for the first time?			
A.	I have never had sexual intercourse	165	57.09%
B.	11 years old or younger	4	1.38%
C.	12 years old	9	3.11%
D.	13 years old	9	3.11%
E.	14 years old	33	11.42%
F.	15 years old	33	11.42%
G.	16 years old	25	8.65%
H.	17 years old or older	11	3.81%
TOTALS		289	100.00%
Q-70. During your life, with how many people have you had sexual intercourse?			
A.	I have never had sexual intercourse	167	57.59%
B.	1 person	43	14.83%
C.	2 people	22	7.59%
D.	3 people	21	7.24%
E.	4 people	10	3.45%
F.	5 people	6	2.07%
G.	6 or more people	21	7.24%
TOTALS		290	100.00%

Q-71. During the past 3 months, with how many people did you have sexual intercourse?			
A.	I have never had sexual intercourse	165	56.90%
B.	I have had sexual intercourse, but not during the past 3 months	42	14.48%
C.	1 person	64	22.07%
D.	2 people	10	3.45%
E.	3 people	1	0.34%
F.	4 people	3	1.03%
G.	5 people	0	0.00%
H.	6 or more people	5	1.72%
	TOTALS	290	100.00%
Q-72. Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
A.	I have never had sexual intercourse	162	56.45%
B.	Yes	23	8.01%
C.	No	102	35.54%
	TOTALS	287	100.00%
Q-73. The last time you had sexual intercourse, did you or your partner use a condom?			
A.	I have never had sexual intercourse	163	57.39%
B.	Yes	82	28.87%
C.	No	39	13.73%
	TOTALS	284	100.00%
Q-74. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)			
A.	I have never had sexual intercourse	162	56.84%
B.	No method was used to prevent pregnancy	14	4.91%
C.	Birth control pills	23	8.07%
D.	Condoms	72	25.26%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	0	0.00%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	1	0.35%
G.	Withdrawal or some other method	11	3.86%
H.	Not sure	2	0.70%
	TOTALS	285	100.00%
Q-75. How do you describe your weight?			
A.	Very underweight	4	1.38%
B.	Slightly underweight	22	7.61%
C.	About the right weight	185	64.01%
D.	Slightly overweight	71	24.57%
E.	Very overweight	7	2.42%
	TOTALS	289	100.00%

Q-76. Which of the following are you trying to do about your weight?			
A.	Lose weight	110	37.80%
B.	Gain weight	49	16.84%
C.	Stay the same weight	62	21.31%
D.	I am not trying to do anything about my weight	70	24.05%
TOTALS		291	100.00%
Q-77. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?			
A.	Yes	22	7.56%
B.	No	269	92.44%
TOTALS		291	100.00%
Q-78. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not count meal replacement products such as Slim Fast.)			
A.	Yes	16	5.52%
B.	No	274	94.48%
TOTALS		290	100.00%
Q-79. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?			
A.	Yes	13	4.53%
B.	No	274	95.47%
TOTALS		287	100.00%
Q-80. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)			
A.	I did not drink 100% fruit juice during the past 7 days	43	14.83%
B.	1 to 3 times during the past 7 days	129	44.48%
C.	4 to 6 times during the past 7 days	59	20.34%
D.	1 time per day	28	9.66%
E.	2 times per day	15	5.17%
F.	3 times per day	4	1.38%
G.	4 or more times per day	12	4.14%
TOTALS		290	100.00%
Q-81. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)			
A.	I did not eat fruit during the past 7 days	19	6.53%
B.	1 to 3 times during the past 7 days	111	38.14%
C.	4 to 6 times during the past 7 days	78	26.80%
D.	1 time per day	31	10.65%
E.	2 times per day	28	9.62%
F.	3 times per day	12	4.12%
G.	4 or more times per day	12	4.12%
TOTALS		291	100.00%

Q-82. During the past 7 days, how many times did you eat green salad?			
A.	I did not eat green salad during the past 7 days	72	25.00%
B.	1 to 3 times during the past 7 days	129	44.79%
C.	4 to 6 times during the past 7 days	54	18.75%
D.	1 time per day	25	8.68%
E.	2 times per day	3	1.04%
F.	3 times per day	0	0.00%
G.	4 or more times per day	5	1.74%
	TOTALS	288	100.00%
Q-83. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)			
A.	I did not eat potatoes during the past 7 days	46	16.20%
B.	1 to 3 times during the past 7 days	168	59.15%
C.	to 6 times during the past 7 days	47	16.55%
D.	1 time per day	13	4.58%
E.	2 times per day	3	1.06%
F.	3 times per day	1	0.35%
G.	4 or more times per day	6	2.11%
	TOTALS	284	100.00%
Q-84. During the past 7 days, how many times did you eat carrots?			
A.	I did not eat carrots during the past 7 days	112	38.49%
B.	1 to 3 times during the past 7 days	137	47.08%
C.	4 to 6 times during the past 7 days	26	8.93%
D.	1 time per day	7	2.41%
E.	2 times per day	2	0.69%
F.	3 times per day	1	0.34%
G.	4 or more times per day	6	2.06%
	TOTALS	291	100.00%
Q-85. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)			
A.	I did not eat other vegetables during the past 7 days	24	8.36%
B.	1 to 3 times during the past 7 days	136	47.39%
C.	4 to 6 times during the past 7 days	74	25.78%
D.	1 time per day	23	8.01%
E.	2 times per day	21	7.32%
F.	3 times per day	6	2.09%
G.	4 or more times per day	3	1.05%
	TOTALS	287	100.00%

Q-86. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	57	19.79%
B.	1 to 3 times during the past 7 days	124	43.06%
C.	4 to 6 times during the past 7 days	63	21.88%
D.	1 time per day	18	6.25%
E.	2 times per day	18	6.25%
F.	3 times per day	3	1.04%
G.	4 or more times per day	5	1.74%
TOTALS		288	100.00%

Q-87. During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

A.	I did not drink diet soda or pop during the past 7 days	225	78.67%
B.	1 to 3 times during the past 7 days	39	13.64%
C.	4 to 6 times during the past 7 days	11	3.85%
D.	1 time per day	6	2.10%
E.	2 times per day	2	0.70%
F.	3 times per day	1	0.35%
G.	4 or more times per day	2	0.70%
TOTALS		286	100.00%

Q-88. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk serve at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	19	6.62%
B.	1 to 3 glasses during the past 7 days	40	13.94%
C.	4 to 6 glasses during the past 7 days	68	23.69%
D.	1 glass per day	55	19.16%
E.	2 glasses per day	46	16.03%
F.	3 glasses per day	36	12.54%
G.	4 or more glasses per day	23	8.01%
TOTALS		287	100.00%

Q-89. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	18	6.25%
B.	1 day	28	9.72%
C.	2 days	15	5.21%
D.	3 days	27	9.38%
E.	4 days	24	8.33%
F.	5 days	32	11.11%
G.	6 days	32	11.11%
H.	7 days	112	38.89%
TOTALS		288	100.00%

Q-90. During the past 30 days, how often did you go hungry because there was not enough food in your home?			
A.	Never	236	83.39%
B.	Rarely	30	10.60%
C.	Sometimes	12	4.24%
D.	Most of the time	3	1.06%
E.	Always	2	0.71%
	TOTALS	283	100.00%
Q-91. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)			
A.	0 days	31	10.73%
B.	1 day	13	4.50%
C.	2 days	23	7.96%
D.	3 days	16	5.54%
E.	4 days	30	10.38%
F.	5 days	42	14.53%
G.	6 days	34	11.76%
H.	7 days	100	34.60%
	TOTALS	289	100.00%
Q-92. On an average school day, how many hours do you watch TV?			
A.	I do not watch TV on an average school day	43	14.83%
B.	Less than 1 hour per day	63	21.72%
C.	1 hour per day	53	18.28%
D.	2 hours per day	75	25.86%
E.	3 hours per day	34	11.72%
F.	4 hours per day	14	4.83%
G.	5 or more hours per day	8	2.76%
	TOTALS	290	100.00%
Q-93. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.)			
A.	I do not play video or computer games or use a computer for something that is not school work	51	17.83%
B.	Less than 1 hour per day	50	17.48%
C.	1 hour per day	67	23.43%
D.	2 hours per day	52	18.18%
E.	3 hours per day	27	9.44%
F.	4 hours per day	17	5.94%
G.	5 or more hours per day	22	7.69%
	TOTALS	286	100.00%

Q-94. In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
A.	0 days	117	41.05%
B.	1 day	3	1.05%
C.	2 days	28	9.82%
D.	3 days	24	8.42%
E.	4 days	10	3.51%
F.	5 days	103	36.14%
	TOTALS	285	100.00%
Q-95. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)			
A.	0 teams	55	19.16%
B.	1 team	68	23.69%
C.	2 teams	77	26.83%
D.	3 or more teams	87	30.31%
	TOTALS	287	100.00%
Q-96. Have you ever been taught about AIDS or HIV infection in school?			
A.	Yes	219	76.04%
B.	No	47	16.32%
C.	Not sure	22	7.64%
	TOTALS	288	100.00%
Q-97. Has a doctor or nurse ever told you that you have asthma?			
A.	Yes	54	18.75%
B.	No	221	76.74%
C.	Not sure	13	4.51%
	TOTALS	288	100.00%
Q-98. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)			
A.	0 times	264	91.35%
B.	1 or 2 times	5	1.73%
C.	3 to 9 times	9	3.11%
D.	10 to 19 times	6	2.08%
E.	20 to 39 times	2	0.69%
F.	40 or more times	3	1.04%
	TOTALS	289	100.00%
Q-99. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?			
A.	Yes	29	10.03%
B.	No	260	89.97%
	TOTALS	289	100.00%